

YON FEBRUARY 2009 Sale Bulls - 112 Day Off Test Weigh Report - Sale Date Feb. 21, 2009

Angus Bulls				EPD's									Birth		205D	365D	365D	Adj	Adj	Adj	11/25/2008					
Tag	Sire	Dam	Dam's Sire	CE	BW	Wn	Yrlg	Scr	Milk	MB	REA	\$W	\$B	Date	W+	WW+	YWT	FS	SC	%IMF	RE	Wt.	ADG	Ratio	WDA	Ratio
U702	Sitz New Design 349M	M109	GAR Expectaion	8	0.8	53	98	-.01	27	.46	.17	+31.78	+49.83	9/2	80	691	1208	6.9	33.4	3.52	12.6	1405	4.08	112	3.12	99
U05	G A R Predestined	L20	Rockn D Ambush 1531	9	2.6	48	88	.24	23	.63	.40	+27.90	+59.07	9/3	ET	ET	ET	6.7	34.0	3.85	12.4	1350	3.45	94	3.01	95
U06	Mytty In Focus	M134	B/R New Design 036	11	0.5	46	86	1.55	25	.54	.09	+29.66	+43.03	9/3	ET	ET	ET	5.2	38.5	3.63	12.4	1355	3.97	109	3.02	95
U07	G A R Predestined	N134	Dalebanks Extender 6012	8	3.0	53	97	.46	27	.59	.51	+26.26	+60.60	9/3	ET	ET	ET	5.5	33.5	4.67	13.6	1395	4.53	124	3.11	98
U15	Mytty In Focus	M134	B/R New Design 036	11	0.5	46	86	1.07	25	.72	.10	+29.48	+49.17	9/6	ET	ET	ET	6.7	35.1	5.33	12.7	1395	4.03	110	3.13	99
U17	G A R Predestined	L20	Rockn D Ambush 1531	9	2.6	48	88	.26	23	.66	.42	+28.03	+57.84	9/6	ET	ET	ET	5.7	34.1	4.09	12.0	1235	3.58	98	2.77	88
U19	G A R Predestined	K131	Leachman Right Time	5	3.9	44	82	.28	25	.34	.28	+26.80	+46.54	9/7	ET	ET	ET	5.4	32.1	3.03	12.6	1305	3.24	89	2.93	93
U20	G A R Predestined	L20	Rockn D Ambush 1531	9	2.6	48	88	-.24	23	.54	.41	+28.03	+54.00	9/7	ET	ET	ET	5.8	30.6	2.99	11.7	1190	3.16	86	2.67	85
U23	Mytty In Focus	M134	B/R New Design 036	11	0.5	46	86	1.07	25	.52	.07	+29.57	+42.84	9/7	ET	ET	ET	5.8	35.1	3.45	12.0	1270	3.29	90	2.85	90
U25	G A R Predestined	L20	Rockn D Ambush 1531	9	2.6	48	88	.50	23	.64	.50	+28.12	+59.39	9/8	ET	ET	ET	5.3	35.7	3.49	13.6	1210	2.64	72	2.73	86
U26	S A V 8180 Traveler 004	N182	Bon View New Design 878	7	2.5	52	100	.98	27	.36	-.04	+26.91	+40.41	9/8	ET	ET	ET	7.0	36.2	4.21	12.0	1560	3.79	104	3.51	111
U30	Mytty In Focus	M134	B/R New Design 036	11	0.5	46	86	.80	25	.56	.10	+29.57	+45.26	9/9	ET	ET	ET	5.8	33.2	3.79	12.5	1305	3.90	107	2.95	93
U33	G A R Predestined	N134	Dalebanks Extender 6012	8	3.0	53	97	.70	27	.51	.38	+26.17	+57.07	9/10	ET	ET	ET	5.8	35.2	3.87	12.1	1405	3.99	109	3.18	101
U34	Mytty In Focus	M134	B/R New Design 036	11	0.5	46	86	.80	25	.62	.02	+29.57	+45.65	9/10	ET	ET	ET	6.0	33.2	4.41	11.5	1305	3.78	103	2.95	93
U36	G A R Retail Product	S39	Bon View New Design 878	10	0.7	46	92	-.04	26	.47	.25	+28.02	+52.56	9/10	70	711	1266	5.8	32.3	4.79	11.7	1410	4.02	110	3.19	101
U38	Mytty In Focus	M134	B/R New Design 036	11	0.5	46	86	.75	25	.52	.05	+29.57	+42.94	9/11	ET	ET	ET	5.8	32.8	3.45	11.7	1305	3.88	106	2.96	94
U42	G A R Predestined	G97	Tehama Bando 155	9	1.8	39	76	-.18	23	.44	.30	+26.70	+48.91	9/11	ET	ET	ET	5.8	33.3	2.79	13.0	1330	3.02	83	3.02	95
U44	G A R Predestined	G97	Tehama Bando 155	9	1.8	39	76	-.46	23	.45	.44	+26.70	+50.88	9/11	ET	ET	ET	5.8	31.3	2.95	14.9	1345	3.49	96	3.05	96
U45	G A R Predestined	K131	Leachman Right Time	5	3.9	44	82	1.15	25	.34	.27	+26.75	+47.50	9/11	ET	ET	ET	5.6	38.3	3.05	12.8	1410	3.82	105	3.20	101
U704	G A R Retail Product	H02	R R Scotchcap 9440	4	3.4	50	91	.55	22	.34	.15	+24.66	+43.84	9/11	80	708	1190	6.6	36.8	3.67	13.0	1375	3.72	102	3.12	99
U43	G A R Retail Product	S203	Bon View New Design 208	11	-0.3	45	88	.86	27	.43	.04	+29.10	+42.96	9/12	60	710	1241	5.8	36.3	4.11	12.0	1360	4.16	114	3.09	98
U47	Mytty In Focus	M134	B/R New Design 036	11	0.5	46	86	1.38	25	.56	-.03	+29.57	+43.32	9/12	ET	ET	ET	6.1	37.3	3.84	10.8	1325	3.38	93	3.01	95
U52	Mytty In Focus	M134	B/R New Design 036	11	0.5	46	86	.83	25	.58	-.02	+29.52	+43.81	9/13	ET	ET	ET	6.1	33.3	3.61	11.4	1365	3.92	107	3.11	98
U67	G A R Predestined	N134	Dalebanks Extender 6012	8	3.0	53	97	.87	27	.59	.40	+26.08	+60.45	9/16	ET	ET	ET	6.1	36.4	4.65	13.0	1480	3.66	100	3.39	107
U70	Bon View New Design 878	S75	G A R Retail Product	8	1.9	46	88	n/a	26	.27	.22	+25.82	+42.58	9/16	60	671	1237	5.9	34.5	3.69	12.8	1315	3.62	99	3.02	95
U71	G A R Predestined	K131	Leachman Right Time	5	3.9	44	82	.69	25	.52	.11	+26.71	+49.61	9/16	ET	ET	ET	5.9	34.9	4.31	10.9	1385	3.74	102	3.18	100
U72	S S Objective T510 OT26	S90	S A V 8180 Traveler 004	8	1.9	58	107	n/a	24	.49	.32	+29.87	+56.93	9/16	74	734	1356	7.1	35.5	4.18	12.6	1465	4.31	118	3.36	106
U705	Bon View New Design 208	M07	Rito 616 of 4B20 6807	9	0.5	45	87	1.38	30	.39	.12	+28.71	+41.94	9/17	82	611	1126	6.1	38.9	2.43	12.5	1295	3.22	88	2.98	94
U73	S S Objective T510 OT26	S70	Hyline Right Time 338	14	-1.1	62	105	.84	25	.46	.17	+36.84	+54.16	9/17	58	772	1252	5.4	37.5	3.81	11.2	1350	3.25	89	3.10	98

Angus Bulls				EPD's								Birth		205D	365D	365D	Adj	Adj	Adj	11/25/2008						
Tag	Sire	Dam	Dam's Sire	CE	BW	Wn	Yrlg	Scr	Milk	MB	REA	\$W	\$B	Date	Wt	WWt	YWT	FS	SC	%IMF	RE	Wt.	ADG	Ratio	WDA	Ratio
U83	C R A Bextor 872 5205 604	S255	Bon View New Design 878	9	1.2	49	90	-.43	30	.31	.09	+28.11	+40.89	9/18	76	766	1294	6.6	32.0	2.80	11.6	1420	4.11	112	3.27	103
U84	G A R Retail Product	S32	Bon View New Design 208	13	-1.4	35	73	.31	24	.61	.17	+27.15	+42.89	9/18	56	623	1138	5.4	33.5	5.61	11.6	1230	3.48	95	2.83	90
U87	C R A Bextor 872 5205 604	S112	G A R Yield Grade	8	2.3	53	99	.35	25	.34	.32	+29.12	+53.56	9/19	78	776	1365	6.4	36.6	3.96	12.8	1315	2.32	64	3.04	96
U89	Mytty In Focus	S50	Ironwood New Level	7	1.6	59	95	1.50	30	.60	-.07	+35.23	+45.83	9/19	82	903	1343	6.4	39.6	5.26	11.2	1470	2.90	79	3.39	107
U92	G A R Solution	S291	C A Future Direction 5321	15	-2.1	46	81	-.62	29	.70	.25	+32.36	+46.13	9/19	50	717	1187	5.9	32.1	5.39	12.8	1310	3.77	103	3.03	96
U93	Bon View New Design 878	S524	Hyline Right Time 338	10	0.6	41	79	-.18	26	.22	-.02	+28.21	+32.68	9/19	66	665	1199	6.2	32.1	3.28	11.9	1300	3.61	99	3.00	95
U100	S A V 8180 Traveler 004	N182	Bon View New Design 878	7	2.5	52	100	.75	27	.28	-.04	+26.96	+39.98	9/21	ET	ET	ET	6.9	34.6	3.44	11.0	1340	4.30	118	3.11	98
U101	S S Objective T510 0T26	S40	G A R Yield Grade	13	0.0	60	114	.58	22	.46	.45	+30.88	+64.81	9/21	64	730	1312	6.4	37.1	4.09	13.6	1395	3.67	100	3.24	102
U98	C R A Bextor 872 5205 604	S206	G A R Yield Grade	11	0.7	45	88	.34	26	.49	.42	+28.63	+54.51	9/21	68	668	1217	5.9	35.6	4.47	13.9	1300	3.88	106	3.02	95
U99	G A R Predestined	N134	Dalebanks Extender 6012	8	3.0	53	97	.47	27	.46	.48	+26.53	+54.91	9/21	ET	ET	ET	4.4	33.6	3.41	12.6	1110	3.29	90	2.58	81
U105	Bon View New Design 878	S515	Hyline Right Time 338	9	1.3	36	71	.63	23	.26	.07	+25.06	+31.81	9/22	70	610	1116	5.7	36.2	3.53	12.7	1190	3.39	93	2.77	88
U107	G A R Retail Product	S154	Bon View New Design 878	10	0.4	42	78	.85	25	.22	.15	+28.13	+36.59	9/22	64	700	1146	5.4	36.7	3.45	12.0	1245	3.51	96	2.90	92
U109	S S Objective T510 0T26	S225	Bon View New Design 878	9	1.1	64	108	.16	28	.60	.24	+36.09	+58.76	9/23	74	858	1332	6.0	34.7	4.91	12.7	1365	2.90	79	3.18	101
219D	Bon View New Design 878	L219	Leachman Right Time	8	1.2	39	76	.15	23	.20	-.07	+25.31	+29.94	9/24	80	655	1060	6	37.1	2.96	9.7	1290	4.25	116	3.01	95
U120	S S Objective T510 0T26	S269	S A V 8180 Traveler 004	12	-0.3	60	109	.52	25	.38	.34	+33.17	+54.46	9/24	58	742	1324	6.0	36.2	3.18	13.1	1400	3.66	100	3.27	103
U132	S S Objective T510 0T26	S250	S A V 8180 Traveler 004	14	-1.2	59	107	.54	25	.40	.22	+33.75	+52.57	9/27	52	727	1306	7.0	36.3	3.42	11.8	1420	3.98	109	3.34	106
U133	S S Objective T510 0T26	S176	G A R Yield Grade	10	1.5	66	127	.67	26	.68	.39	+30.07	+73.29	9/27	72	793	1457	7.3	37.8	5.00	12.5	1555	4.51	123	3.66	116
U157	Woodhill Foresight	M194	B/R New Design 036	9	1.4	50	87	1.07	24	.52	.15	+29.47	+52.36	9/27	70	664	1112	5.8	37.3	5.19	12.7	1255	2.97	81	2.95	93
U140	G A R Retail Product	S170	Bon View New Design 878	14	-1.3	38	78	.85	25	.31	.03	+27.86	+36.11	9/28	52	645	1152	5.3	36.8	3.21	11.7	1230	3.11	85	2.90	92
U144	S S Objective T510 0T26	S511	Hyline Right Time 338	10	0.8	54	97	1.47	24	.53	.24	+32.22	+52.47	9/28	68	691	1193	5.8	42.8	4.60	11.6	1240	2.96	81	2.92	93
U167	G A R Predestined	M32	BCC Bushwacker	2	5.3	47	88	.10	24	.56	.49	+19.12	+56.72	9/30	94	655	1221	5.8	34.9	4.12	13.8	1380	4.11	112	3.27	103
U172	Sitz New Design 349M	S267	G A R Expectation 4915	14	-1.9	50	98	.05	26	.47	.15	+31.17	+51.58	9/30	58	796	1362	6.5	34.9	4.34	14.0	1460	3.93	107	3.46	109
U174	Mytty In Focus	L83	Papa Durabull 9805	5	2.4	50	88	1.46	24	.32	.14	+27.73	+39.56	10/1	88	749	1245	6.1	39.9	3.37	13.1	1450	3.88	106	3.44	109
U183	G A R Retail Product	S85	VDAR Legend 1281	8	1.9	38	85	.83	17	.27	.24	+20.69	+39.74	10/1	70	621	1199	5.6	37.4	3.26	12.9	1235	3.62	99	2.93	93
802	Bon View New Design 878	613	Gar Expectaion	9	1.8	43	87	.22	28	.28	.12	+24.65	+42.89	10/2	71	722	1220	5.6	33.9	3.83	13.2	1315	3.56	97	3.13	99
U184	S S Objective T510 0T26	S12	G A R Integrity	4	3.6	47	92	.43	25	.48	.31	+23.17	+51.73	10/2	86	674	1260	6.1	37.0	2.93	13.1	1330	4.05	111	3.17	100
U187	G A R Predestined	P152	G A R Expectation 4915	14	-0.4	45	81	-.16	24	.52	.39	+30.74	+53.31	10/2	64	700	1175	6.1	33.1	4.22	12.2	1310	3.39	93	3.12	99
U188	G A R Retail Product	P31	Bon View New Design 878	3	3.4	50	90	-.33	26	.43	.42	+27.29	+52.83	10/2	88	827	1293	6.1	30.7	4.49	14.9	1455	3.62	99	3.46	110
U189	G A R Retail Product	N182	Bon View New Design 878	9	1.0	48	98	.96	27	.46	.37	+27.07	+56.99	10/2	ET	ET	ET	6.6	38.0	4.56	15.8	1455	3.93	107	3.46	110
U190	Rito 2 878 of 2536 BVND 8	P80	Sitz Traveler 8180	8	0.7	40	79	.38	19	.30	.26	+24.24	+34.84	10/2	70	648	1213	6.1	36.1	4.11	14.6	1345	3.46	95	3.20	101

Angus Bulls				EPD's											Birth		205D	365D	365D	Adj	Adj	Adj	11/25/2008				
Tag	Sire	Dam	Dam's Sire	CE	BW	Wn	Yrlg	Scr	Milk	MB	REA	\$W	\$B	Date	Wt	WWt	YWT	FS	SC	%IMF	RE	Wt.	ADG	Ratio	WDA	Ratio	
U191	C R A Bextor 872 5205 604	R80	Bon View New Design 878	10	0.6	47	91	.44	28	.43	.39	+28.23	+50.24	10/2	70	726	1280	5.8	36.5	4.05	14.3	1390	3.77	103	3.31	105	
U197	S S Objective T510 0T26	R20	Bon View New Design 208	11	0.2	61	106	.95	31	.51	.38	+34.39	+59.64	10/3	70	760	1277	6.1	38.5	3.79	13.5	1390	3.52	96	3.32	105	
U201	Mytty In Focus	L65	G D A R Traveler 044	5	2.5	52	88	1.12	20	.19	.08	+29.09	+29.01	10/3	90	770	1236	5.8	38.0	3.34	13.6	1400	3.61	99	3.34	106	
U707	G A R Retail Product	M30	B/R New Design 036	3	3.6	42	81	.56	25	.41	.28	+22.25	+48.23	10/3	88	598	1094	6.3	35.9	2.95	12.2	1240	3.82	105	2.96	94	
U207	G A R Predestined	G87	Tehama Bando 155	6	2.7	40	77	-.08	23	.61	.27	+24.52	+50.42	10/4	80	637	1152	5.6	35.7	5.17	13.0	1270	3.04	83	3.04	96	
U216	Hyline Right Time 338	P155	Bon View New Design 208	9	1.3	50	90	.60	28	.19	.19	+30.96	+38.24	10/5	74	731	1264	5.4	34.2	2.97	14.1	1385	3.60	98	3.32	105	
U221	G A R Predestined	H29	Rito 3S3 of Rita 5H11 1656	7	2.3	53	96	-.31	29	.29	.61	+28.58	+55.51	10/5	70	723	1221	6.4	33.1	2.90	14.6	1365	4.12	113	3.27	104	
U228	C R A Bextor 872 5205 604	P66	Bon View New Design 878	11	0.5	40	75	.27	25	.38	.13	+27.08	+37.20	10/6	72	646	1134	6.4	34.8	3.17	13.1	1230	3.18	87	2.96	94	
803	S S Objective T510 0T26	604	S A V 8180 Traveler 004	10	1.2	59	104	-.29	25	.41	.26	+30.70	+51.90	10/7	63	737	1203	6.4	30.5	3.47	12.5	1300	3.86	106	3.13	99	
U232	Rito 2 878 of 2536 BVND 8	R15	N Bar Emulation EXT	4	2.6	38	72	.66	25	.17	.14	+23.23	+31.92	10/7	86	673	1187	5.6	38.6	3.53	11.8	1300	3.57	98	3.13	99	
804	S A V 8180 Traveler 004	214	Connealy Dateline	9	1.6	40	76	1.13	18	.15	-.07	+23.99	+23.35	10/8	73	618	1016	5.9	37.5	3.04	10.6	1190	3.54	97	2.87	91	
U248	Mytty In Focus	P295	Twin Valley Precision E161	8	1.4	47	97	.85	20	.53	.38	+25.47	+52.71	10/8	83	706	1314	6.1	37.3	5.09	16.2	1445	4.60	126	3.49	110	
U252	G A R Predestined	P214	GAR Expectation	10	2.5	50	99	-.58	26	.66	.59	+26.15	+66.62	10/9	88	704	1296	6.7	31.9	4.67	14.2	1420	4.27	117	3.44	109	
U255	Mytty In Focus	S239	S A V 8180 Traveler 004	15	-2.3	46	85	.68	22	.23	-.08	+31.88	+27.55	10/9	52	643	1160	5.4	35.2	3.02	10.8	1200	3.63	99	2.91	92	
U256	Bon View New Design 878	S86	C A Future Direction 5321	7	2.4	46	88	.52	28	.52	.37	+25.87	+54.14	10/9	74	748	1327	6.9	37.2	4.50	14.6	1405	4.13	113	3.40	108	
U259	Morgans Direction 111 990	S251	S A V 8180 Traveler 004	10	0.3	51	88	.09	30	.36	.36	+33.82	+46.08	10/10	66	751	1282	6.8	35.2	4.21	14.4	1365	3.38	93	3.31	105	
U268	G A R Predestined	M62	Rito 616 of 4B20 6807	9	2.4	44	88	1.18	26	.53	.49	+28.55	+60.23	10/11	ET	ET	ET	5.7	36.2	3.59	13.0	1350	4.41	121	3.28	104	
U269	G A R Predestined	M62	Rito 616 of 4B20 6807	9	2.4	44	88	1.89	26	.40	.48	+28.60	+54.56	10/11	ET	ET	ET	5.2	41.2	2.37	12.1	1145	3.10	85	2.79	88	
U272	G A R Predestined	P102	G A R Expectation 4915	9	2.4	54	99	-.11	26	.69	.44	+28.58	+66.51	10/12	84	778	1304	6.2	33.5	4.81	13.1	1390	3.44	94	3.39	107	
808	S S Objective T510 0T26	609	BCC Bushwacker	8	2.6	66	112	.33	28	.54	.42	+30.91	+61.38	10/13	70	781	1256	6.2	34.7	4.24	13.7	1320	3.23	88	3.23	102	
U279	C R A Bextor 872 5205 604	L139	B/R New Design 036	8	1.6	48	89	.26	29	.68	.38	+33.19	+58.54	10/13	ET	ET	ET	6.2	33.3	4.54	13.5	1335	3.94	108	3.26	103	
U281	C R A Bextor 872 5205 604	L139	B/R New Design 036	8	1.6	48	89	.06	29	.76	.31	+33.19	+58.18	10/13	ET	ET	ET	6.0	31.8	4.82	12.6	1330	4.05	111	3.25	103	
U286	Bon View New Design 878	S527	Hyline Right Time 338	11	0.2	39	73	.64	25	.17	.05	+28.57	+30.74	10/14	64	644	1103	5.5	36.9	2.89	13.3	1170	3.09	85	2.87	91	
U289	C R A Bextor 872 5205 604	L139	B/R New Design 036	8	1.6	48	89	.33	29	.60	.33	+33.28	+54.77	10/14	ET	ET	ET	5.5	33.8	3.73	12.4	1225	3.54	97	3.00	95	
U291	Connealy Lead On	S508	Hyline Right Time 338	7	1.0	48	90	.49	25	.25	.36	+29.62	+44.66	10/15	68	720	1256	6.7	34.9	3.61	12.6	1325	3.71	101	3.26	103	
U293	ALC Big Eye D09N	S322	Bon View New Design 208	7	2.2	50	96	.75	29	.57	.35	+27.46	+57.28	10/16	80	754	1332	6.7	37.4	4.14	13.0	1395	4.29	118	3.44	109	
U294	Mytty In Focus	P04	S A F 598 Bando 5175	10	0.6	50	91	.95	26	.44	.09	+33.22	+40.16	10/16	56	702	1278	5.7	36.6	4.01	13.9	1325	4.21	115	3.26	103	
U296	G A R Retail Product	P99	Bon View New Design 878	3	3.6	45	85	1.07	26	.32	.43	+24.11	+50.87	10/16	90	710	1198	6.2	38.6	3.19	13.9	1315	3.51	96	3.24	102	
U298	Connealy Lead On	S58	Bon View New Design 878	9	0.8	50	93	.50	28	.38	.31	+30.83	+51.33	10/16	68	725	1261	6.5	35.9	3.75	13.2	1310	3.88	106	3.23	102	
U299	Connealy Lead On	S20	Bon View New Design 208	7	0.7	42	81	.63	29	.50	.12	+28.65	+43.09	10/16	72	688	1182	6.0	36.4	4.51	12.1	1275	3.65	100	3.14	99	
U301	G A R Predestined	M62	Rito 616 of 4B20 6807	9	2.4	44	88	1.02	26	.53	.37	+28.46	+57.12	10/16	ET	ET	ET	6.2	34.9	3.18	11.9	1405	4.22	116	3.46	109	
811	S A V 8180 Traveler 004	217	B/R New Design 036	10	1.7	51	97	.92	28	.55	.21	+27.25	+51.44	10/17	66	730	1255	5.8	35.8	5.48	14.4	1400	3.48	95	3.46	109	

Angus Bulls				EPD's									Birth		205D	365D	365D	Adj	Adj	Adj	11/25/2008					
Tag	Sire	Dam	Dam's Sire	CE	BW	Wn	Yrlg	Scr	Milk	MB	REA	\$W	\$B	Date	Wt	WWt	YWT	FS	SC	%IMF	RE	Wt.	ADG	Ratio	WDA	Ratio
U304	Connealy Freightliner	S03	Bon View New Design 208	11	-0.9	47	83	2.53	24	.20	.08	+32.24	+31.42	10/17	64	779	1278	7.0	44.5	3.49	14.1	1355	3.87	106	3.35	106
U307	G A R Predestined	M62	Rito 616 of 4B20 6807	9	2.4	44	88	1.72	26	.55	.51	+28.46	+60.73	10/17	ET	ET	ET	6.3	39.9	3.36	13.9	1430	4.05	111	3.53	112
U309	G A R Solution	S283	Ironwood New Level	10	0.9	44	86	-.08	28	.42	.03	+25.87	+39.32	10/17	70	677	1218	6.5	34.5	3.58	11.4	1250	3.48	95	3.09	98
U310	G A R Predestined	M62	Rito 616 of 4B20 6807	9	2.4	44	88	1.49	26	.48	.39	+28.42	+57.75	10/17	ET	ET	ET	6.5	38.4	3.18	11.6	1285	3.29	90	3.17	100
U316	C R A Bextor 872 5205 604	S306	Bon View New Design 878	7	1.8	49	91	.70	32	.44	.22	+29.24	+47.36	10/18	76	782	1348	6.8	38.0	3.56	13.8	1390	4.02	110	3.44	109
U318	Mytty In Focus	S155	Ironwood New Level	5	2.7	48	88	.85	27	.32	.07	+25.80	+38.37	10/19	82	685	1197	6.3	36.5	3.39	11.6	1250	3.71	102	3.10	98
U327	Rito 2 878 of 2536 BVND 8	P358	Twin Valley Precision E161	9	1.1	35	72	-.20	22	.25	.39	+23.15	+35.41	10/21	76	606	1164	5.1	33.2	4.02	13.9	1240	3.75	103	3.09	98
U331	S A V 8180 Traveler 004	P10	C A Future Direction 5321	5	3.1	42	78	.73	25	.33	.17	+23.32	+42.42	10/23	84	657	1135	6.1	35.8	3.80	11.4	1255	3.88	106	3.15	99
U338	Quaker Hill Objective 3J15	R208	Sitz Alliance 6595	0	4.4	53	89	-.03	27	.33	.23	+25.40	+41.86	10/24	90	668	1153	5.1	33.2	4.04	12.4	1235	3.92	107	3.10	98
U345	Bon View New Design 878	S226	L T 598 Bando 9074	8	1.7	44	84	.44	27	.35	.03	+27.53	+40.94	10/26	78	716	1233	6.4	35.7	3.47	12.8	1270	3.64	100	3.21	101
U346	Mytty In Focus	M140	B/R New Design 036	5	3.1	51	91	1.56	25	.74	.13	+26.87	+53.10	10/26	96	794	1319	6.1	39.7	5.54	13.6	1455	4.12	113	3.67	116
U348	G A R Retail Product	S394	S A V 8180 Traveler 004	5	2.4	50	99	.51	27	.36	.07	+25.96	+45.93	10/26	78	761	1398	7.1	36.7	4.11	12.3	1445	4.49	123	3.65	115
U351	B C Matrix 4132	R105	Connealy Lead On	3	4.3	50	95	1.49	24	.41	.20	+22.57	+48.98	10/27	90	691	1238	5.9	40.3	4.15	11.2	1260	4.27	117	3.19	101
U709	G A R Solution	R513	G A R Retail Product	13	-0.6	45	81	-.32	27	.58	.03	+30.72	+35.62	10/29	70	633	1079	5.4	33.2	3.55	11.7	1110	2.91	80	2.82	89
U361	Mytty In Focus	S357	G A R Yield Grade	15	-1.6	46	94	.35	21	.35	.12	+27.28	+46.61	10/30	62	677	1258	5.9	32.9	4.01	13.3	1250	3.77	103	3.19	101
817	Bon View New Design 878	125	Yon Traveler G73	6	2.4	38	77	.89	28	.18	.01	+22.75	+34.31	10/31	84	706	1160	5.9	37.3	3.22	12.6	1265	2.90	79	3.24	102
U363	S S Objective T510 0T26	S335	S A V 8180 Traveler 004	7	2.2	57	105	-.20	25	.53	.44	+28.67	+61.60	10/31	74	685	1229	5.9	31.9	4.16	13.6	1255	3.65	100	3.21	102
U365	S S Objective T510 0T26	S529	Hyline Right Time 338	5	2.9	60	106	-.52	25	.50	.35	+30.16	+59.04	10/31	82	777	1316	6.7	30.9	4.41	13.5	1345	3.87	106	3.44	109
U371	G A R Retail Product	S349	Bon View New Design 878	2	4.3	44	89	.39	27	.24	.14	+19.99	+44.48	11/2	88	727	1289	6.0	34.5	3.17	12.6	1310	3.93	107	3.37	107
U379	C R A Bextor 872 5205 604	S183	S A V 8180 Traveler 004	9	1.4	50	94	.50	26	.45	.23	+29.72	+49.33	11/6	72	728	1256	6.0	37.1	4.25	12.4	1260	3.64	100	3.27	104
U381	S S Objective T510 0T26	N170	Bon View New Design 878	6	2.4	60	111	.48	28	.69	.43	+32.51	+68.73	11/8	ET	ET	ET	6.5	34.1	3.91	12.8	1345	3.42	94	3.51	111
U385	S S Objective T510 0T26	N170	Bon View New Design 878	6	2.4	60	111	.38	28	.86	.41	+32.60	+69.71	11/9	ET	ET	ET	6.1	33.2	5.51	12.1	1185	3.62	99	3.10	98
U386	S S Objective T510 0T26	N170	Bon View New Design 878	6	2.4	60	111	.03	28	.81	.35	+32.60	+67.36	11/9	ET	ET	ET	6.1	30.7	5.03	11.0	1170	3.11	85	3.06	97
U389	G A R Predestined	K216	Papa Durabull 9805	5	4.2	47	87	.63	27	.56	.60	+22.81	+59.58	11/11	ET	ET	ET	5.1	34.7	2.85	12.9	1080	2.89	79	2.84	90
U396	Ironwood New Level	R85	N Bar Emulation EXT	9	1.0	43	84	-.08	24	.22	.17	+26.20	+37.99	11/13	74	635	1163	6.1	34.3	3.24	12.7	1175	3.56	97	3.11	98
823	S A V 8180 Traveler 004	422	Bon View New Design 878	5	3.7	51	95	.62	24	.25	-.08	+22.76	+36.48	11/14	81	739	1203	6.9	34.9	3.60	11.6	1245	3.81	104	3.30	104
U404	YON Legend S107	R47	Hyline Right Time 338	4	3.8	59	104	.99	23	.22	.01	+25.14	+44.15	11/15	88	772	1303	6.9	36.9	3.50	11.8	1320	3.48	95	3.51	111
U406	G A R Predestined	N60	Sitz Alliance 6595	11	1.1	43	76	.12	26	.43	.43	+29.72	+46.16	11/15	70	677	1083	5.9	33.4	2.95	14.4	1140	2.98	82	3.03	96
119	Angus Bulls			8	1.62	48	90	0.55	26	.45	.24	28.17	48.54		73	709.7	1231	6.1	35.5	3.86	12.7	1321	3.67	100	3.16	100

Composites (2 Sim x Angus; 1 Angus x Charolais)

U278	Dew Time (Simm)	R30	GAR Expectation 3915 (Angus)	pending								n/a	n/a	10/13	81		pending					1275	3.28	100	3.12	97
U369	Dew Time (Simm)	R191	Basin Max 602C (Angus)	pending								n/a	n/a	11/1	76		pending					1290	3.27	100	3.31	100
U347	G A R Predestined (Angus)	L165	Budsmydad (Charolais)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	10/26	87		pending			3.55	14.4	1305	3.79	100	3.30	100